

What is claimed is:

1. An aortic shunt, comprising:

a first tubular member expandable between a first diameter suitable for passage through the lumen of the aorta and a second diameter that frictionally engages the lumen of the aorta, the first tubular member having a length that spans from the ascending aorta upstream of the brachiocephalic trunk to the descending aorta

downstream of the left subclavian artery, the first tubular member having a proximal opening, a distal opening, and a lumen therebetween; and

a second tubular member having a proximal end, a distal end, and a lumen therebetween, the distal end of the second tubular member communicating with a port mounted on an intermediate portion of the first tubular member, the port adapted to communicate with the carotid arteries when in use, the proximal end of the second tubular member extending to a position outside of the patient's body and adapted to receive infusion of oxygenated blood,

wherein, during use, oxygenated blood flows through the second tubular member into the carotid arteries while blood from the ascending aorta flows through the first tubular member into the descending aorta.

2. The aortic shunt of claim 1, wherein the lumen of the second tubular member communicates with a plurality of ports at the distal end of the second tubular member.

3. The aortic shunt of claim 1, wherein the first tubular member is a stent.

4. The aortic shunt of claim 1, wherein the first tubular member is a cylindrical balloon, and wherein the shunt further comprises an inflation lumen that communicates with the first tubular member.

5. The aortic shunt of claim 1, wherein the first tubular member further comprises a balloon disposed about a portion of the first tubular member, wherein the balloon inflates to isolate a portion of the first tubular member where the port of the second tubular member communicates with the carotid arteries from blood flow in the aorta.

6. The aortic shunt of claim 5, wherein the first tubular member is a stent.

10 7. The aortic shunt of claim 5, wherein the first tubular member is a cylindrical balloon, and wherein the shunt further comprises an inflation lumen that communicates with the first tubular member.

8. The aortic shunt of claim 1, further comprising a manometer mounted in the first tubular member.

15 9. The aortic shunt of claim 1, wherein the first tubular member further comprises radiopaque markers at the proximal end and the distal end.

10. A method for treating stroke and cardiac arrest, comprising the steps of:
providing an aortic shunt comprising a first tubular member having a proximal opening, a distal opening, and a lumen therebetween, and a second tubular member having a proximal opening, a distal end, and a lumen therebetween, the distal
5 end of the second tubular member communicating with a port mounted on an intermediate portion of the first tubular member;
advancing the aortic shunt into the aorta;
positioning the shunt so that the proximal opening of the first tubular member is upstream of the brachiocephalic trunk, the distal opening of the first tubular
10 member is downstream of the left subclavian artery, and the distal port of the second tubular member communicates with the carotid arteries;
expanding the shunt so that the first tubular member engages the lumen of the aorta; and
infusing oxygenated blood through the lumen of the second tubular
15 member into the carotid arteries.

11. The method of claim 10, wherein the lumen of the second tubular member communicates with a plurality of ports at the distal end of the second tubular member.

12. The method of claim 10, wherein the first tubular member is a stent.

13. The method of claim 10, wherein the first tubular member is a cylindrical
20 balloon, and wherein the shunt further comprises an inflation lumen that communicates with the first tubular member.

14. The method of claim 10, wherein the first tubular member further comprises a balloon disposed about a portion of the first tubular member, wherein the balloon inflates to isolate a portion of the first tubular member where the port of the second tubular member communicates with the carotid arteries from blood flow in the
5 aorta.

15. The method of claim 14, wherein the first tubular member is a stent.

16. The method of claim 14, wherein the first tubular member is a cylindrical balloon, and wherein the shunt further comprises an inflation lumen that communicates with the first tubular member.

10 17. The method of claim 10, wherein the shunt further comprises a manometer mounted in the first tubular member.

18. The method of claim 10, wherein the first tubular member further comprises radiopaque markers at the proximal end and the distal end.

19. The method of claim 10, wherein the oxygenated blood is cooled
15 oxygenated blood.

20. The method of claim 10, further comprising the step of inserting the shunt into the femoral artery.